In the Claims:

Claim 48 has been cancelled.

Please amend Claims 39-44 as follows:

- 39. (Once amended) An isolated polypeptide having at least 80% amino acid sequence identity to:
- (a) the amino acid sequence of the polypeptide shown in Figure 11 (SEQ ID NO:23);
- (b) the amino acid sequence of the polypeptide shown in Figure 11 (SEQ ID NO:23), lacking its associated signal peptide;
- (c) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 11 (SEQ ID NO:23); or
- (d) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 11 (SEQ ID NO:23), lacking its associated signal peptide; or
- the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209375, wherein said polypeptide is associated with formation of lung and colon tumors.
- D12
- 40. (Once amended) The isolated polypeptide of Claim 39 having at least 85% amino acid sequence identity to:
- (a) the amino acid sequence of the polypeptide shown in Figure 11 (SEQ ID NO:23);
- (b) the amino acid sequence of the polypeptide shown in Figure 11 (SEQ ID NO:23), lacking its associated signal peptide;
- (e)(c) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 11 (SEQ ID NO:23); or
- (d) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 11 (SEQ ID NO:23), lacking its associated signal peptide; or
- the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209375,
 wherein said polypeptide is associated with formation of lung and colon tumors.

- 41. (Once amended) The isolated polypeptide of Claim 39 having at least 90% amino acid sequence identity to:
- (a) the amino acid sequence of the polypeptide shown in Figure 11 (SEQ ID NO:23);
- (b) the amino acid sequence of the polypeptide shown in Figure 11 (SEQ ID NO:23), lacking its associated signal peptide;
- (c) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 11 (SEQ ID NO:23); or
- (d) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 11 (SEQ ID NO:23), lacking its associated signal peptide; or
- the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209375, wherein said polypeptide is associated with formation of lung and colon tumors.
- 42. (Once amended) The isolated polypeptide of Claim 39 having at least 95% amino acid sequence identity to:
- (a) the amino acid sequence of the polypeptide shown in Figure 11 (SEQ ID NO:23);
- (b) the amino acid sequence of the polypeptide shown in Figure 11 (SEQ ID NO:23), lacking its associated signal peptide;
- (c) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 11 (SEQ ID NO:23); or
- (d) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 11 (SEQ ID NO:23), lacking its associated signal peptide; or
- the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209375,
 wherein said polypeptide is associated with formation of lung and colon tumors.
- 43. (Once amended) The isolated polypeptide of Claim 39 having at least 99% amino acid sequence identity to:
- (a) the amino acid sequence of the polypeptide shown in Figure 11 (SEQ ID NO:23);
- (b) the amino acid sequence of the polypeptide shown in Figure 11 (SEQ ID NO:23), lacking its associated signal peptide,

D12

- (c) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 11 (SEQ ID NO:23); or
- (d) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 11 (SEQ ID NO:23), lacking its associated signal peptide; or
- the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209375, wherein said polypeptide is associated with formation of lung and colon tumors.
- 44. (Once amended) An isolated polypeptide comprising:
- (a) the amino acid sequence of the polypeptide shown in Figure 11 (SEQ ID NO:23);
- (b) the amino acid sequence of the polypeptide shown in Figure 11 (SEQ ID NO:23), lacking its associated signal peptide;
- (c) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 11 (SEQ ID NO:23); or
- (d) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 11 (SEQ ID NO:23), lacking its associated signal peptide; or
- (e) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209375.
- 45. (Previously added) The isolated polypeptide of Claim 44 comprising the amino acid sequence of the polypeptide shown in Figure 11 (SEQ ID NO:23).
- 46. (Previously added) The isolated polypeptide of Claim 44 comprising the amino acid sequence of the polypeptide shown in Figure 11 (SEQ ID NO:23), lacking its associated signal peptide.
- 47. (Previously added) The isolated polypeptide of Claim 44 comprising the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 11 (SEQ ID NO:23).
- 48. Cancel.

D12

- 49. (Previously added) The isolated polypeptide of Claim 44 comprising the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209375.
- (Previously added) A chimeric polypeptide comprising a polypeptide according to Claim 39 fused to a heterologous polypeptide.
 - 51. (Previously added) The chimeric polypeptide of Claim 50, wherein said heterologous polypeptide is an epitope tag or an Fc region of an immunoglobulin.